



CARICATECHTM automatic truck loader

One Source

The concept

2

HMI operator panel

FLSmidth Ventomatic[®] has a long experience in loading systems for single bags or full pallets. Well-known examples are CARICAMAT[®] automatic truck loader and POLIMAT[®] palletizers.

Our philosophy for the loading of bags on trucks is to form a layer of bags above the truck and transfer it onto the platform without positioning the machine inside the truck. Consequently the minimum internal truck width has to correspond to the actual loaded bag pattern dimension. The innovation of CARICATECH™ automatic truck loader is the pick-up of bag layers by a fork with special roller way maintaining the traditional loading from the top.

Main features


- Bag layer formation above the truck and then transfer on the truck platform;
- Mechanical handling of the bag pattern;
- Suitable for any type of bags and material;
- Different configuration of bag pattern and number of layers;
- The lowest truck change-over time with the highest capacity available on the market;
- IPC technology control system;
- Delivery in containers;
- Easy installation and maintenance.

- IP65 Touchscreen control panel;


- User-friendly parameter and recipe setting;
- Fast set-up of bag size;
- On board fieldbus system for real time

control of sensors/actuators status: - Teleservice via Internet; - On-board camera system for remote

- monitoring;










- Increased speed using advanced control technology like brushless motors.

- "Real-time" and historical statistic data:

Working process




4



Loading process

6







One Source

Copyright © 2017 FLSmidth A/S. ALL RIGHTS RESERVED. FLSmidth, VENTOMATIC, GIROMAT, INFILROT and POLIMAT are a (registered) trademark of FLSmidth A/S. This brochure makes no offers, representations or warranties (express or implied), and information and data contained in this brochure are for general reference only and may change at any time.

www.flsmidthventomatic.com

FLSmidth Ventomatic S.p.A

via G. Marconi, 20 24030 Valbrembo (Bergamo) Italy tel. +39 035 468 311 fax +39 035 460 838 vento@flsmidthventomatic.com

FLSmidth Private Limited

Express Trade Tower 3, 1st & 2nd Floor, Plot No.79, Hero Honda Chowk, Sector-34, Gurgaon-122001 Haryana India tel. +91 124 308 7000 & +91 124 616 7000 ventoin@flsmidthventomatic.com

